

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3792	707/101.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:17
L2	3761	(name with identifi\$6) and (attributes with values) and memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:19
L3	126	l1 and L2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:19
L4	30	(name with identifi\$6) same (attributes with values) same memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:19
L5	1	l1 and L4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:19
L6	16	(name with identifi\$6) same (attributes with values) same memory and @ad < "20030220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L7	1	l1 and L6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20

L8	0	name with identi\$6 with attributes with values with memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L9	3761	(name with identi\$6) and (attributes with values) and memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L10	325	(name with identi\$6) and (attributes with values) same memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L11	30	(name with identi\$6) same (attributes with values) same memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L12	16	(name with identi\$6) same (attributes with values) same memory and @ad < "20030220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L13	6	(name with identi\$6) same (attributes with values) same memory and @ad < "20030220" and (program with execution)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L14	254	(name with identi\$6) and (attributes with values) and memory and @ad < "20030220" and (program with execution) and(data adj structure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20

L15	25	(name with identi\$6) same (attributes with values) and memory and @ad < "20030220" and (program with execution) and(data adj structure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L16	3	(name with identi\$6) same (attributes with values) same (program with execution) and memory and @ad < "20030220" and(data adj structure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L17	2	"20040024812"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L18	4	("6325594" or "6857012").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L19	2	"6,325,594".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L20	55	van.in. and huben.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L21	2	"20040167900"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L22	2	"6327594".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20

L23	2	"6,857,012".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L24	1	707/101.ccls. and (name with identifi\$6) same (attributes with values) same memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L25	2	"6,327,594".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L26	2	"6360363".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L27	2	"20030167455"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L28	2	"7047522".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L29	2	"6,754,659".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L30	16	(name with identifi\$6) same (attributes with values) same memory and @ad < "20030220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20

L31	6	(name with identifi\$6) same (attributes with values) same memory and @ad < "20030220" and (program with execution)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L32	30	(name with identifi\$6) same (attributes with values) same memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L33	3761	(name with identifi\$6) and (attributes with values) and memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L34	254	(name with identifi\$6) and (attributes with values) and memory and @ad < "20030220" and (program with execution) and(data adj structure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L35	25	(name with identifi\$6) same (attributes with values) and memory and @ad < "20030220" and (program with execution) and(data adj structure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L36	3	(name with identifi\$6) same (attributes with values) same (program with execution) and memory and @ad < "20030220" and(data adj structure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L37	325	(name with identifi\$6) and (attributes with values) same memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20

L38	0	name with identi\$6 with attributes with values with memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L39	4	("6325594" or "6857012").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L40	2	"20040024812"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L41	2	"6,325,594".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L42	55	van.in. and huben.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L43	2	"20040167900"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L44	2	"6327594".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L45	2	"6,857,012".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20

L46	1	707/101.ccls. and (name with identifi\$6) same (attributes with values) same memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L47	2	"6,327,594".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L48	2	"6360363".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L49	2	"20030167455"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L50	2	"7047522".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L51	2	"6,754,659".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L52	16	(name with identifi\$6) same (attributes with values) same memory and @ad < "20030220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L53	6	(name with identifi\$6) same (attributes with values) same memory and @ad < "20030220" and (program with execution)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20

L54	30	(name with identifi\$6) same (attributes with values) same memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L55	3761	(name with identifi\$6) and (attributes with values) and memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L56	254	(name with identifi\$6) and (attributes with values) and memory and @ad < "20030220" and (program with execution) and(data adj structure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L57	25	(name with identifi\$6) same (attributes with values) and memory and @ad < "20030220" and (program with execution) and(data adj structure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L58	3	(name with identifi\$6) same (attributes with values) same (program with execution) and memory and @ad < "20030220" and(data adj structure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L59	325	(name with identifi\$6) and (attributes with values) same memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L60	0	name with identifi\$6 with attributes with values with memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20

L61	4	("6325594" or "6857012").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L62	2	"20040024812"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L63	2	"6,325,594".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L64	55	van.in. and huben.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L65	2	"20040167900"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L66	2	"6327594".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L67	2	"6,857,012".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L68	1	707/101.ccls. and (name with identifi\$6) same (attributes with values) same memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20

L69	2	"6,327,594".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L70	2	"6360363".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L71	2	"20030167455"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L72	2	"7047522".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L73	2	"6,754,659".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L74	16	(name with identifi\$6) same (attributes with values) same memory and @ad < "20030220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L75	6	(name with identifi\$6) same (attributes with values) same memory and @ad < "20030220" and (program with execution)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L76	30	(name with identifi\$6) same (attributes with values) same memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20

L77	3761	(name with identi\$6) and (attributes with values) and memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L78	254	(name with identi\$6) and (attributes with values) and memory and @ad < "20030220" and (program with execution) and(data adj structure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L79	25	(name with identi\$6) same (attributes with values) and memory and @ad < "20030220" and (program with execution) and(data adj structure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L80	3	(name with identi\$6) same (attributes with values) same (program with execution) and memory and @ad < "20030220" and(data adj structure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L81	325	(name with identi\$6) and (attributes with values) same memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L82	0	name with identi\$6 with attributes with values with memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L83	4	("6325594" or "6857012").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20

L84	2	"20040024812"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L85	2	"6,325,594".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L86	55	van.in. and huben.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L87	2	"20040167900"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L88	2	"6327594".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L89	2	"6,857,012".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L90	1	707/101.ccls. and (name with identifi\$6) same (attributes with values) same memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L91	2	"6,327,594".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20

L92	2	"6360363".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L93	2	"20030167455"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L94	2	"7047522".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L95	2	"6,754,659".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L96	25	(name with identifi\$6) same (attributes with values) and memory and @ad < "20030220" and (program with execution) and(data adj structure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L97	2	"6360363".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L98	254	(name with identifi\$6) and (attributes with values) and memory and @ad < "20030220" and (program with execution) and(data adj structure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L99	2	"6,857,012".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20

L100	2	"6,325,594".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L101	30	(name with identifi\$6) same (attributes with values) same memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L102	2	"6,857,012".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L103	2	"6,327,594".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L104	3	(name with identifi\$6) same (attributes with values) same (program with execution) and memory and @ad < "20030220" and(data adj structure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L105	3761	(name with identifi\$6) and (attributes with values) and memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L106	6	(name with identifi\$6) same (attributes with values) same memory and @ad < "20030220" and (program with execution)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L107	16	(name with identifi\$6) same (attributes with values) same memory and @ad < "20030220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20

L108	2	"7047522".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L109	2	"6,327,594".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L110	2	"6327594".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L111	325	(name with identifi\$6) and (attributes with values) same memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L112	2	"20040024812"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L113	2	"20030167455"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L114	4	("6325594" or "6857012").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L115	2	"20030167455"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20

L116	55	van.in. and huben.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L117	0	name with identifi\$6 with attributes with values with memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L118	2	"6360363".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L119	325	(name with identifi\$6) and (attributes with values) same memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L120	2	"20040167900"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L121	254	(name with identifi\$6) and (attributes with values) and memory and @ad < "20030220" and (program with execution) and(data adj structure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L122	1	707/101.ccls. and (name with identifi\$6) same (attributes with values) same memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L123	3761	(name with identifi\$6) and (attributes with values) and memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20

L124	2	"6,754,659".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L125	2	"7047522".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L126	1	707/101.ccls. and (name with identifi\$6) same (attributes with values) same memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L127	6	(name with identifi\$6) same (attributes with values) same memory and @ad < "20030220" and (program with execution)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L128	55	van.in. and huben.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L129	2	"6,325,594".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L130	2	"20040024812"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L131	2	"20040167900"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20

L132	3	(name with identi\$6) same (attributes with values) same (program with execution) and memory and @ad < "20030220" and(data adj structure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L133	2	"6327594".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L134	4	("6325594" or "6857012").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L135	0	name with identi\$6 with attributes with values with memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L136	25	(name with identi\$6) same (attributes with values) and memory and @ad < "20030220" and (program with execution) and(data adj structure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L137	30	(name with identi\$6) same (attributes with values) same memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L138	16	(name with identi\$6) same (attributes with values) same memory and @ad < "20030220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20
L139	2	"6,754,659".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/25 17:20

S1	0	name with identi\$6 with attributes with values with memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/28 10:19
S2	3076	(name with identi\$6) and (attributes with values) and memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/28 10:20
S3	252	(name with identi\$6) and (attributes with values) same memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/28 10:20
S4	21	(name with identi\$6) same (attributes with values) same memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/29 16:16
S5	14	(name with identi\$6) same (attributes with values) same memory and @ad < "20030220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/28 10:21
S6	5	(name with identi\$6) same (attributes with values) same memory and @ad < "20030220" and (program with execution)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/28 10:24
S7	244	(name with identi\$6) and (attributes with values) and memory and @ad < "20030220" and (program with execution) and(data adj structure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/28 10:25

S8	23	(name with identi\$6) same (attributes with values) and memory and @ad < "20030220" and (program with execution) and(data adj structure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/28 10:25
S9	3	(name with identi\$6) same (attributes with values) same (program with execution) and memory and @ad < "20030220" and(data adj structure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/28 14:31
S10	2	"20040024812"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/28 14:37
S11	4	("6325594" or "6857012").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/28 16:25
S13	2	"6,325,594".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/30 07:34
S14	48	van.in. and huben.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/28 14:47
S15	2	"20040167900"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/29 17:20
S16	2	"6327594".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/29 17:19

S17	2	"6,857,012".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/28 20:03
S18	1	707/101.ccls. and (name with identifi\$6) same (attributes with values) same memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/29 16:17
S19	2	"6,327,594".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/29 17:12
S20	2	"6360363".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/29 17:21
S21	2	"20030167455"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/29 17:20
S22	2	"7047522".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/29 17:21
S23	2	"6,754,659".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/30 07:35
S24	16	(name with identifi\$6) same (attributes with values) same memory and @ad < "20030220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 22:27

S25	6	(name with identifi\$6) same (attributes with values) same memory and @ad < "20030220" and (program with execution)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 22:27
S26	30	(name with identifi\$6) same (attributes with values) same memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 22:27
S27	3464	(name with identifi\$6) and (attributes with values) and memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 22:27
S28	251	(name with identifi\$6) and (attributes with values) and memory and @ad < "20030220" and (program with execution) and(data adj structure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 22:27
S29	24	(name with identifi\$6) same (attributes with values) and memory and @ad < "20030220" and (program with execution) and(data adj structure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 22:27
S30	3	(name with identifi\$6) same (attributes with values) same (program with execution) and memory and @ad < "20030220" and(data adj structure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 22:27
S31	300	(name with identifi\$6) and (attributes with values) same memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 22:27

S32	0	name with identi\$6 with attributes with values with memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 22:27
S33	4	("6325594" or "6857012").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 22:27
S34	2	"20040024812"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 22:27
S35	2	"6,325,594".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 22:27
S36	49	van.in. and huben.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 22:27
S37	2	"20040167900"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 22:27
S38	2	"6327594".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 22:27
S39	2	"6,857,012".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 22:27

S40	1	707/101.ccls. and (name with identifi\$6) same (attributes with values) same memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 22:27
S41	2	"6,327,594".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 22:27
S42	2	"6360363".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 22:27
S43	2	"20030167455"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 22:27
S44	2	"7047522".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 22:27
S45	2	"6,754,659".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 22:27
S46	16	(name with identifi\$6) same (attributes with values) same memory and @ad < "20030220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 22:28
S47	6	(name with identifi\$6) same (attributes with values) same memory and @ad < "20030220" and (program with execution)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 22:28

S48	30	(name with identi\$6) same (attributes with values) same memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 22:28
S49	3464	(name with identi\$6) and (attributes with values) and memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 22:28
S50	251	(name with identi\$6) and (attributes with values) and memory and @ad < "20030220" and (program with execution) and(data adj structure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 22:28
S51	24	(name with identi\$6) same (attributes with values) and memory and @ad < "20030220" and (program with execution) and(data adj structure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 22:28
S52	3	(name with identi\$6) same (attributes with values) same (program with execution) and memory and @ad < "20030220" and(data adj structure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 22:28
S53	300	(name with identi\$6) and (attributes with values) same memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 22:28
S54	0	name with identi\$6 with attributes with values with memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 22:28

S55	4	("6325594" or "6857012").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 22:28
S56	2	"20040024812"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 22:28
S57	2	"6,325,594".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 22:28
S58	49	van.in. and huben.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 22:28
S59	2	"20040167900"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 22:28
S60	2	"6327594".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 22:28
S61	2	"6,857,012".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 22:28
S62	1	707/101.ccls. and (name with identifi\$6) same (attributes with values) same memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 22:28

S63	2	"6,327,594".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 22:28
S64	2	"6360363".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 22:28
S65	2	"20030167455"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 22:28
S66	2	"7047522".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 22:28
S67	2	"6,754,659".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/11 22:28
S68	16	(name with identifi\$6) same (attributes with values) same memory and @ad < "20030220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:52
S69	6	(name with identifi\$6) same (attributes with values) same memory and @ad < "20030220" and (program with execution)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
S70	30	(name with identifi\$6) same (attributes with values) same memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53

S71	3464	(name with identi\$6) and (attributes with values) and memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
S72	251	(name with identi\$6) and (attributes with values) and memory and @ad < "20030220" and (program with execution) and(data adj structure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
S73	24	(name with identi\$6) same (attributes with values) and memory and @ad < "20030220" and (program with execution) and(data adj structure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
S74	3	(name with identi\$6) same (attributes with values) same (program with execution) and memory and @ad < "20030220" and(data adj structure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
S75	300	(name with identi\$6) and (attributes with values) same memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
S76	0	name with identi\$6 with attributes with values with memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
S77	4	("6325594" or "6857012").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53

S78	2	"20040024812"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
S79	2	"6,325,594".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
S80	49	van.in. and huben.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
S81	2	"20040167900"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
S82	2	"6327594".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
S83	2	"6,857,012".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
S84	1	707/101.ccls. and (name with identifi\$6) same (attributes with values) same memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
S85	2	"6,327,594".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53

S86	2	"6360363".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
S87	2	"20030167455"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
S88	2	"7047522".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
S89	2	"6,754,659".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
S90	24	(name with identifi\$6) same (attributes with values) and memory and @ad < "20030220" and (program with execution) and(data adj structure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
S91	2	"6360363".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
S92	251	(name with identifi\$6) and (attributes with values) and memory and @ad < "20030220" and (program with execution) and(data adj structure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53

S93	2	"6,857,012".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
S94	2	"6,325,594".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
S95	30	(name with identifi\$6) same (attributes with values) same memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
S96	2	"6,857,012".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
S97	2	"6,327,594".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
S98	3	(name with identifi\$6) same (attributes with values) same (program with execution) and memory and @ad < "20030220" and(data adj structure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
S99	3464	(name with identifi\$6) and (attributes with values) and memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
S100	6	(name with identifi\$6) same (attributes with values) same memory and @ad < "20030220" and (program with execution)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53

S101	16	(name with identi\$6) same (attributes with values) same memory and @ad < "20030220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
S102	2	"7047522".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
S103	2	"6,327,594".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
S104	2	"6327594".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
S105	300	(name with identi\$6) and (attributes with values) same memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
S106	2	"20040024812"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
S107	2	"20030167455"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
S108	4	("6325594" or "6857012").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53

S109	2	"20030167455"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
S110	49	van.in. and huben.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
S111	0	name with identifi\$6 with attributes with values with memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
S112	2	"6360363".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
S113	300	(name with identifi\$6) and (attributes with values) same memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
S114	2	"20040167900"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
S115	251	(name with identifi\$6) and (attributes with values) and memory and @ad < "20030220" and (program with execution) and(data adj structure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
S116	1	707/101.ccls. and (name with identifi\$6) same (attributes with values) same memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53

S117	3464	(name with identifi\$6) and (attributes with values) and memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
S118	2	"6,754,659".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
S119	2	"7047522".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
S120	1	707/101.ccls. and (name with identifi\$6) same (attributes with values) same memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
S121	6	(name with identifi\$6) same (attributes with values) same memory and @ad < "20030220" and (program with execution)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
S122	49	van.in. and huben.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
S123	2	"6,325,594".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
S124	2	"20040024812"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53

S125	2	"20040167900"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
S126	3	(name with identifi\$6) same (attributes with values) same (program with execution) and memory and @ad < "20030220" and(data adj structure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
S127	2	"6327594".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
S128	4	("6325594" or "6857012").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
S129	0	name with identifi\$6 with attributes with values with memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
S130	24	(name with identifi\$6) same (attributes with values) and memory and @ad < "20030220" and (program with execution) and(data adj structure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
S131	30	(name with identifi\$6) same (attributes with values) same memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
S132	16	(name with identifi\$6) same (attributes with values) same memory and @ad < "20030220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53

S133	2	"6,754,659".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/15 00:53
------	---	-----------------	---	----	-----	---------------------

4/ 25/ 2008 5:35:19 PM

C:\ Documents and Settings\ klu\ My Documents\ EAST\ Workspaces\ 10618380.wsp